

## Safety Data Sheet

acc. to OSHA HCS


Printing date 08/03/2020

Reviewed on 08/03/2020

### 1 Identification

- **Product identifier**
- **Trade name: Destivit 2000**
- **Application of the substance / the mixture**  
Dry-cleaning  
Defoamers, Anti-foaming agent
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SEITZ GmbH  
Gutenbergstrasse 1 - 3  
65830 Kriftel / Germany  
Tel. + 49(0) 6192-9948-0  
Fax + 49(0) 6192-9948-99  
order@seitz24.com  
www.seitz24.com
- **Information department:**  
CHEM-TEL Inc.  
1305 North Florida Ave  
Tampa Florida 33602
- **Emergency telephone number:** 1-800-255-3924 (24-hour Service)

### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Flam. Liq. 4 H227 Combustible liquid.  
Acute Tox. 4 H312 Harmful in contact with skin.  
Acute Tox. 4 H332 Harmful if inhaled.  
Skin Irrit. 2 H315 Causes skin irritation.
- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**  
  
GHS07
- **Signal word** Warning
- **Hazard-determining components of labeling:**  
2-butoxyethyl acetate
- **Hazard statements**  
H227 Combustible liquid.  
H312+H332 Harmful in contact with skin or if inhaled.  
H315 Causes skin irritation.
- **Precautionary statements**  
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P261 Avoid breathing vapours.

(Contd. on page 2)

US

## Safety Data Sheet acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 08/03/2020

**Trade name: Destivit 2000**

(Contd. of page 1)

- P280 Wear protective gloves / eye protection.
- P302+P352 If on skin: Wash with plenty of soap and water.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a poison center/doctor if you feel unwell.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P403 Store in a well-ventilated place.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **CAS-No. Components:**

CAS: 112-07-2	2-butoxyethyl acetate	60 – 80%
CAS: 103-09-3	2-ethylhexyl acetate	10 – 30%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

· **Description of first aid measures**

- **General information** Immediately remove any clothing soiled by the product.

· **After inhalation**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact**

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

· **After eye contact**

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

Respiratory complaints

Unconsciousness

Skin irritation

· **Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment

### 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

## Safety Data Sheet acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 08/03/2020

**Trade name: Destivit 2000**

(Contd. of page 2)

- **For safety reasons unsuitable extinguishing agents** Water with full jet.
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information**  
Cool endangered receptacles with water spray.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Do not breathe gases/ vapours.  
Avoid contact with eyes and skin.  
Keep away from ignition sources
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling**
- **Precautions for safe handling**  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.  
Avoid contact with eyes and skin.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
Protect from heat and direct sunlight.

(Contd. on page 4)

## Safety Data Sheet acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 08/03/2020

**Trade name: Destivit 2000**

(Contd. of page 3)

- Store in cool, dry conditions in well sealed receptacles.
- Store receptacle in a well ventilated area.
- **Specific end use(s)** Dry-cleaning

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

**CAS: 112-07-2 2-butoxyethyl acetate**

REL Long-term value: 33 mg/m<sup>3</sup>, 5 ppm

TLV Long-term value: 130 mg/m<sup>3</sup>, 20 ppm

- **Regulatory information**  
REL: Guide to Occupational Exposure Values (NIOSH RELs)  
TLV: Guide to Occupational Exposure Values (ACGIH)
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
The usual precautionary measures for handling chemicals should be followed.  
Immediately remove all soiled and contaminated clothing  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.  
Do not eat, drink, smoke or sniff while working.  
Do not inhale gases / fumes / aerosols.
- **Breathing equipment:**  
Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplace limit values, formation of aerosols).
- **Protection of hands:**  
Solvent resistant gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Material of gloves**  
Butyl rubber, BR  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed goggles.

(Contd. on page 5)

## Safety Data Sheet acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 08/03/2020

**Trade name: Destivit 2000**

(Contd. of page 4)

· **Body protection:** Solvent resistant protective clothing

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Fluid
· <b>Color:</b>	Colorless
· <b>Odor:</b>	Product specific
· <b>Odor threshold:</b>	No further relevant information available.

· **pH-value at 20 °C (68 °F):** ~ 4.5

· **Change in condition**

· <b>Melting point/Melting range:</b>	undetermined
· <b>Boiling point/Boiling range:</b>	undetermined

· **Flash point:** 81 °C (177.8 °F) (ASTM D 93 c.c.)

· **Flammability (solid, gaseous)** No further relevant information available.

· **Ignition temperature:** No further relevant information available.

· **Decomposition temperature:** No further relevant information available.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

· <b>Lower:</b>	No further relevant information available.
· <b>Upper:</b>	No further relevant information available.

· **Oxidizing properties** No further relevant information available.

· **Vapor pressure:** No further relevant information available.

· <b>Density at 20 °C (68 °F):</b>	~ 0.93 g/cm <sup>3</sup> (ISO 2811)
· <b>Relative density</b>	No further relevant information available.
· <b>Vapor density</b>	No further relevant information available.
· <b>Evaporation rate</b>	No further relevant information available.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix

· **Partition coefficient (n-octanol/water):** No further relevant information available.

· **Viscosity:**

· <b>dynamic:</b>	No further relevant information available.
· <b>kinematic:</b>	No further relevant information available.

· **Other information** No further relevant information available.

## Safety Data Sheet acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 08/03/2020

**Trade name: Destivit 2000**

(Contd. of page 5)

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**  
Stable under normal ambient conditions.  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**  
Reacts with strong oxidizing agents.  
Possible formation of peroxide
- **Conditions to avoid** Protect from heat and direct sunlight.
- **Incompatible materials:** Strong oxidizing agents
- **Hazardous decomposition products:** No dangerous decomposition products known

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

#### ATE (Acute Toxicity Estimate)

Oral	LD50	2,426 mg/kg (rat)
Dermal	LD50	1,910 mg/kg (rabbit)
Inhalative	LC50 (4h)	14.2 mg/l

#### CAS: 112-07-2 2-butoxyethyl acetate

Oral	LD50	1,880 mg/kg (rat)
Dermal	LD50	1,480 mg/kg (rabbit)
Inhalative	LC50 (4h)	11 mg/l (ATE)
	LC50	> 3.91 mg/l (rat) (8h)

#### CAS: 103-09-3 2-ethylhexyl acetate

Oral	LD50	5,140 mg/kg (rat)
Dermal	LD50	> 5,000 mg/kg (rabbit)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)



## Safety Data Sheet acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 08/03/2020

Trade name: **Destivit 2000**

(Contd. of page 6)

- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **Specific target organ toxicity – single exposure**  
Based on available data, the classification criteria are not met.
- **Specific target organ toxicity – repeated exposure**  
Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

**CAS: 112-07-2 2-butoxyethyl acetate**

EC50	1,570 mg/l (Aquatic plants, algae) (72 h; Pseudokirchneriella subcapitata; ISO 8692)
	37 mg/l (Aquatic invertebrates) (48 h; Daphnia magna; DIN 38412)

LC50	28.3 mg/l (Fish) (96 h; Oncorhynchus mykiss; OECD 203)
------	--------------------------------------------------------

EC20	> 1,000 mg/l (Bacteria) (3h)
------	------------------------------

**CAS: 103-09-3 2-ethylhexyl acetate**

EC50	22.9 mg/l (invertebrate) (48 h; Daphnia magna; OECD 202)
------	----------------------------------------------------------

LC50	8.27 mg/l (Fish) (96 h; Onchorhynchus mykiss; OECD 203)
------	---------------------------------------------------------

- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow product to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

US

(Contd. on page 8)

## Safety Data Sheet acc. to OSHA HCS


Printing date 08/03/2020

Reviewed on 08/03/2020

**Trade name: Destivit 2000**

(Contd. of page 7)

### 14 Transport information

· UN-Number	
· DOT	NA1993
· ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· DOT	COMBUSTIBLE LIQUID, N.O.S (2-butoxyethyl acetate)
· ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT	
	
· Class	3 Combustible liquids
· Label	3
· ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· DOT	
· Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· UN "Model Regulation":	Void

### 15 Regulatory information

· Sara	
· Section 355 (extremely hazardous substances):	None of the ingredients is listed.
· Section 313 (specific toxic chemical listings):	CAS: 112-07-2   2-butoxyethyl acetate
· TSCA (Toxic Substances Control Act):	All ingredients are listed.

(Contd. on page 9)





# Safety Data Sheet acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 08/03/2020

Trade name: **Destivit 2000**

(Contd. of page 8)

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **New Jersey Right-to-Know List:**

CAS: 112-07-2 | 2-butoxyethyl acetate

· **New Jersey Special Hazardous Substance List:**

None of the ingredients is listed.

· **Pennsylvania Right-to-Know List:**

CAS: 103-09-3 | 2-ethylhexyl acetate

CAS: 104-76-7 | 2-Ethyl-1-hexanol

· **Pennsylvania Special Hazardous Substance List:**

None of the ingredients is listed.

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

CAS: 112-07-2 | 2-butoxyethyl acetate

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations**

· **Other regulations, limitations and prohibitive regulations**

· **Please note:**

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

· **Other information:** The product has been designed for professional use only.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 08/03/2020 / 4.00

(Contd. on page 10)



The fresher company.

Page 10/10

## Safety Data Sheet acc. to OSHA HCS

Printing date 08/03/2020

Reviewed on 08/03/2020

**Trade name: Destivit 2000**

(Contd. of page 9)

· **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Flam. Liq. 4: Flammable liquids – Category 4
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Irrit. 2: Skin corrosion/irritation – Category 2

· \* **Data compared to the previous version altered.**

US