

Safety Data Sheet acc. to OSHA HCS

Printing date 10/09/2018

Reviewed on 10/09/2018

1 Identification

- **Product identifier**
- **Trade name: Optin Excel**
- **Application of the substance / the mixture**
Laundry
Detergent
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SEITZ GmbH
Gutenbergstrasse 1 - 3
65830 Kriftel / Germany
Tel. + 49(0) 6192-9948-0
Fax + 49(0) 6192-9948-99
order@seitz24.com
www.seitz24.com
- **Information department:**
CHEM-TEL Inc.
1305 North Florida Ave
Tampa Florida 33602
- **Emergency telephone number:** 1-800-255-3924 (24-hour Service)

2 Hazard(s) identification

- **Classification of the substance or mixture**
Met. Corr.1 H290 May be corrosive to metals.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Warning
- **Hazard statements**
H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
- **Precautionary statements**
P280 Wear protective gloves / eye protection.
P302+P352 If on skin: Wash with plenty of water.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/09/2018

Reviewed on 10/09/2018

Trade name: Optin Excel

P337+P313

If eye irritation persists: Get medical advice/attention.

(Contd. of page 1)

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **CAS-No. Components:**

CAS: 1310-58-3	potassium hydroxide
----------------	---------------------

< 2%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· **Description of first aid measures**

· **General information** Immediately remove any clothing soiled by the product.

· **After inhalation** Supply fresh air; consult doctor in case of complaints.

· **After skin contact**

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· **After eye contact**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

Eye irritation

Skin irritation

· **Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

The product is not flammable

· **For safety reasons unsuitable extinguishing agents** Water with full jet.

· **Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/09/2018

Reviewed on 10/09/2018

Trade name: Optin Excel

(Contd. of page 2)

· **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Avoid contact with eyes and skin.

Ensure adequate ventilation

· **Environmental precautions:** Do not allow product to reach sewage system or any water course.

· **Methods and material for containment and cleaning up:**

Use neutralizing agent.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

· **Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Handling**

· **Precautions for safe handling**

Keep away from heat and direct sunlight.

Avoid contact with eyes and skin.

Ensure adequate ventilation

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:**

Store only in the original receptacle.

Do not use light alloy receptacles.

· **Information about storage in one common storage facility:** Store away from foodstuffs.

· **Further information about storage conditions:**

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

Time of storage: max. 24 month

· **Specific end use(s)** Laundry

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/09/2018

Reviewed on 10/09/2018

Trade name: Optin Excel

(Contd. of page 3)

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
 The usual precautionary measures for handling chemicals should be followed.
 Keep away from foodstuffs, beverages and feed.
 Wash hands before breaks and at the end of work.
 Do not eat, drink, smoke or sniff while working.
 Avoid contact with the eyes and skin.
 Immediately remove all soiled and contaminated clothing
- **Breathing equipment:**
 Not required.
 Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplace limit values, formation of aerosols).
- **Protection of hands:**
 Alkaline resistant gloves
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Material of gloves**
 Nitrile rubber, NBR
 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
 The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed goggles.
- **Body protection:** Alkaline resistant protective clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Color:	Colorless
- **Odor:** Product specific
- **Odor threshold:** No further relevant information available.

- **pH-value (10 g/l) at 20 °C (68 °F):** ~ 11.5

- **Change in condition**

Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	> 100 °C (> 212 °F)

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/09/2018

Reviewed on 10/09/2018

Trade name: Optin Excel

(Contd. of page 4)

· Flash point:	Not applicable
· Flammability (solid, gaseous)	No further relevant information available.
· Ignition temperature:	No further relevant information available.
· Decomposition temperature:	No further relevant information available.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	No further relevant information available. No further relevant information available.
· Oxidizing properties	No further relevant information available.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	~1.56 g/cm ³ (ISO 2811)
· Relative density	No further relevant information available.
· Vapor density	No further relevant information available.
· Evaporation rate	No further relevant information available.
· Solubility in / Miscibility with Water:	Fully miscible
· Partition coefficient (n-octanol/water) at 20 °C (68 °F):	-2 log POW
· Viscosity: dynamic: kinematic:	No further relevant information available. No further relevant information available.
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
Stable under normal ambient conditions.
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Reacts with metals forming hydrogen
Reacts with acids
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**
Acids
Certain metals
- **Hazardous decomposition products:** No dangerous decomposition products known

US

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/09/2018

Reviewed on 10/09/2018

Trade name: Optin Excel

(Contd. of page 5)

11 Toxicological information

- Information on toxicological effects
- Acute toxicity

- LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	> 3,129 mg/kg (rat)
------	------	---------------------

CAS: 1310-58-3 potassium hydroxide

Oral	LD50	273 mg/kg (rat)
------	------	-----------------

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**

- Carcinogenic categories

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **Specific target organ toxicity – single exposure**
Based on available data, the classification criteria are not met.
- **Specific target organ toxicity – repeated exposure**
Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological information

- Toxicity

- Aquatic toxicity:

CAS: 1310-58-3 potassium hydroxide

LC50	80 mg/l (Fish) (96 h; Gambusia affinis)
------	---

- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/09/2018

Reviewed on 10/09/2018

Trade name: Optin Excel


(Contd. of page 6)

- **Additional ecological information:**
- **General notes:**
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

14 Transport information

- | | |
|---|---|
| · UN-Number | |
| · DOT, ADR, IMDG, IATA | UN3266 |
| · UN proper shipping name | |
| · DOT | Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide) |
| · ADR | 3266 Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide) |
| · IMDG, IATA | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE) |
| · Transport hazard class(es) | |
| · DOT | |
|  | |
| · Class | 8 Corrosive substances |
| · Label | 8 |

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/09/2018

Reviewed on 10/09/2018

Trade name: Optin Excel

(Contd. of page 7)

· **ADR**



· **Class** 8 (C5) Corrosive substances
 · **Label** 8

· **IMDG, IATA**



· **Class** 8 Corrosive substances
 · **Label** 8

· **Packing group**

· **DOT, ADR, IMDG, IATA** III

· **Environmental hazards:** Not applicable.

· **Special precautions for user** Warning: Corrosive substances
 · **Danger code (Kemler):** 80
 · **EMS Number:** F-A,S-B
 · **Segregation groups** Alkalis
 · **Stowage Category** A
 · **Stowage Code** SW2 Clear of living quarters.
 · **Segregation Code** SG35 Stow "separated from" acids.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **DOT**
 · **Quantity limitations** On passenger aircraft/rail: 5 L
 On cargo aircraft only: 60 L

· **ADR**

· **Excepted quantities (EQ)** Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

· **IMDG**

· **Limited quantities (LQ)** 5L
 · **Excepted quantities (EQ)** Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/09/2018

Reviewed on 10/09/2018

Trade name: Optin Excel

(Contd. of page 8)

· UN "Model Regulation":	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE), 8, III
---------------------------------	--

15 Regulatory information

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

CAS: 1310-58-3 | potassium hydroxide

· New Jersey Special Hazardous Substance List:

CAS: 1310-58-3 | potassium hydroxide | CO, R1

· Pennsylvania Right-to-Know List:

CAS: 1310-58-3 | potassium hydroxide

· Pennsylvania Special Hazardous Substance List:

CAS: 1310-58-3 | potassium hydroxide | E

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 10)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/09/2018

Reviewed on 10/09/2018

Trade name: Optin Excel

(Contd. of page 9)

- **National regulations**
- **Other regulations, limitations and prohibitive regulations**
- **Please note:**

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

- **Other information:** The product has been designed for professional use only.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Date of preparation / last revision** 10/09/2018 / 3.99

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Met. Corr. 1: Corrosive to metals – Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

- * **Data compared to the previous version altered.**